

L Number	Hits	Search Text	DB	Time stamp
1	71006	multidimension\$4 or multi-dimension\$4 or OLAP or CUBE	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/26 07:22
2	3629	((multidimension\$4 or multi-dimension\$4 or OLAP or CUBE) and space and (dataset or (data adj set)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/26 07:23
3	252	((multidimension\$4 or multi-dimension\$4 or OLAP or CUBE) and space and (dataset or (data adj set))) and point same iterative	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/26 07:05
4	0	((multidimension\$4 or multi-dimension\$4 or OLAP or CUBE) and space and (dataset or (data adj set))) and point same iterative) and (mandelbrot or julie) and ((complex adj plane) same point)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/26 07:02
5	0	((multidimension\$4 or multi-dimension\$4 or OLAP or CUBE) and space and (dataset or (data adj set))) and point same iterative) and (mandelbrot or julia) and ((complex adj plane) same point)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/26 07:13
6	1	((multidimension\$4 or multi-dimension\$4 or OLAP or CUBE) and space and (dataset or (data adj set))) and point same iterative) and ((complex adj plane) same point)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/26 07:03
7	5	((multidimension\$4 or multi-dimension\$4 or OLAP or CUBE) same (complex adj plane)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/26 07:05
8	119	((multidimension\$4 or multi-dimension\$4 or OLAP or CUBE) and (complex adj plane)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/26 07:05
9	13	((multidimension\$4 or multi-dimension\$4 or OLAP or CUBE) and (complex adj plane)) and point same iterative	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/26 07:09
10	12	((multidimension\$4 or multi-dimension\$4 or OLAP or CUBE) and (complex adj plane)) and point same iterative) and (mapp\$4 or map)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/26 07:09
11	11	((multidimension\$4 or multi-dimension\$4 or OLAP or CUBE) and (complex adj plane)) and point same iterative) and (mapp\$4 or map) and point and algorithm	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/26 07:10
12	6	((multidimension\$4 or multi-dimension\$4 or OLAP or CUBE) and (complex adj plane)) and point same iterative) and (mapp\$4 or map) and point and algorithm) and space and (dataset or (data adj set))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/26 07:11
13	9	((multidimension\$4 or multi-dimension\$4 or OLAP or CUBE) and (complex adj plane)) and point same iterative) and (mapp\$4 or map) and point and algorithm) and space	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/26 07:11

14	7	(((((multidimension\$4 or multi-dimension\$4 or OLAP or CUBE) and (complex adj plane)) and point same iterative) and (mapp\$4 or map) and point and algorithm) and space) and mathemat\$6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/26 07:44
15	6	(((((multidimension\$4 or multi-dimension\$4 or OLAP or CUBE) and (complex adj plane)) and point same iterative) and (mapp\$4 or map) and point and algorithm) and space) and mathemat\$6) and (plurality or strings!)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/26 07:16
16	14	(multidimension\$4 or multi-dimension\$4 or OLAP or CUBE) and (mandelbrot or julia) same point	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/26 07:15
17	16	(multidimension\$4 or multi-dimension\$4 or OLAP or CUBE) and (mandelbrot or julia) and (point same iterat\$6 same (algorithm or function))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/26 07:20
18	13	((multidimension\$4 or multi-dimension\$4 or OLAP or CUBE) and (mandelbrot or julia) and (point same iterat\$6 same (algorithm or function))) and (plurality and strings!)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/26 07:19
19	14	((multidimension\$4 or multi-dimension\$4 or OLAP or CUBE) and (mandelbrot or julia) and (point same iterat\$6 same (algorithm or function))) and (plurality or strings!) same compar\$7	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/26 07:21
20	1	(multidimension\$4 or multi-dimension\$4 or OLAP or CUBE) and ((mandelbrot or julia) near6 set) and (point same iterat\$6 same (algorithm or function))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/26 07:22
21	0	((multidimension\$4 or multi-dimension\$4 or OLAP or CUBE) and ((mandelbrot or julia) near6 set) and (point same iterat\$6 same (algorithm or function))) and (plurality or strings!) same compar\$7	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/26 07:23
22	0	((multidimension\$4 or multi-dimension\$4 or OLAP or CUBE) and ((mandelbrot or julia) near6 set) and (point same iterat\$6 same (algorithm or function))) and (plurality or strings!) and compar\$7	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/26 07:21
23	0	((multidimension\$4 or multi-dimension\$4 or OLAP or CUBE) and ((mandelbrot or julia) near6 set) and (point same iterat\$6 same (algorithm or function))) and (plurality or string) and compar\$7	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/26 07:21
24	0	((multidimension\$4 or multi-dimension\$4 or OLAP or CUBE) and ((mandelbrot or julia) near6 set) and (point same iterat\$6 same (algorithm or function))) and (string) and compar\$7	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/26 07:21
25	0	((multidimension\$4 or multi-dimension\$4 or OLAP or CUBE) and ((mandelbrot or julia) near6 set) and (point same iterat\$6 same (algorithm or function))) and compar\$7	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/26 07:21
26	0	((multidimension\$4 or multi-dimension\$4 or OLAP or CUBE) and ((mandelbrot or julia) near6 set) and (point same iterat\$6 same (algorithm or function))) and (plurality or string)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/26 07:21

27	19737	multidimension\$4 or multi-dimension\$4 or OLAP	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/26 07:25
28	477	((multidimension\$4 or multi-dimension\$4 or OLAP) and (point same iterat\$6 same (algorithm or function)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/26 07:29
29	0	((multidimension\$4 or multi-dimension\$4 or OLAP) and (point same iterat\$6 same (algorithm or function))) and (plurality same strings!) same compar\$7	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/26 07:23
30	83	((multidimension\$4 or multi-dimension\$4 or OLAP) and (point same iterat\$6 same (algorithm or function))) and (plurality or strings!) same compar\$7	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/26 07:23
31	40	((multidimension\$4 or multi-dimension\$4 or OLAP) and (point same iterat\$6 same (algorithm or function))) and (plurality or strings!) same compar\$7) and space and (dataset or (data adj set))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/26 07:26
32	1	((multidimension\$4 or multi-dimension\$4 or OLAP) and (point same iterat\$6 same (algorithm or function))) and (plurality or strings!) same compar\$7) and space and (dataset or (data adj set))) and (plurality and strings!) same compar\$7	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/26 07:24
33	4	((multidimension\$4 or multi-dimension\$4 or OLAP) and (point same iterat\$6 same (algorithm or function))) and (plurality and strings!) same compar\$7	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/26 07:27
34	47047	((multidimension\$4 or multi-dimension\$4 or OLAP or dimensional) with (space or map))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/26 07:26
36	6345	((multidimension\$4 or multi-dimension\$4 or OLAP or dimensional) with (space or map)) and ((dataset or (data adj set)) or (DNA near3 sequence))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/26 07:36
37	3	((multidimension\$4 or multi-dimension\$4 or OLAP or dimensional) with (space or map)) and ((dataset or (data adj set)) or (DNA near3 sequence))) and (plurality same strings!) same compar\$7	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/26 07:28
38	60	((multidimension\$4 or multi-dimension\$4 or OLAP or dimensional) with (space or map)) and ((dataset or (data adj set)) or (DNA near3 sequence))) and (strings!) same compar\$7	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/26 07:28
39	335	((multidimension\$4 or multi-dimension\$4 or OLAP or dimensional) with (space or map)) and ((dataset or (data adj set)) or (DNA near3 sequence))) and (point same iterat\$6 same (algorithm or function))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/26 07:29
40	94	((multidimension\$4 or multi-dimension\$4 or OLAP or dimensional) with (space or map)) and ((dataset or (data adj set)) or (DNA near3 sequence))) and (point with iterat\$6 with (algorithm or function))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/26 07:43

41 .	16	(((multidimension\$4 or multi-dimension\$4 or OLAP or dimensional) with (space or map)) and ((dataset or (data adj set)) or (DNA near3 sequence))) and (point with iterat\$6 with (algorithm or function))) and mathemat\$6 with (process\$3 or generat or creat\$6 or build\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/26 07:33
42	0	(((multidimension\$4 or multi-dimension\$4 or OLAP or dimensional) with (space or map)) and ((dataset or (data adj set)) or (DNA near3 sequence))) and (point with iterat\$6 with (algorithm or function))) and mathemat\$6 with (process\$3 or generat or creat\$6 or build\$4)) and point same (cooriat\$6 or co-ordiat\$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/26 07:45
43	11	(((multidimension\$4 or multi-dimension\$4 or OLAP or dimensional) with (space or map)) and ((dataset or (data adj set)) or (DNA near3 sequence))) and (point with iterat\$6 with (algorithm or function))) and mathemat\$6 with (process\$3 or generat or creat\$6 or build\$4)) and point same (coordinat\$6 or co-ordinat\$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/26 07:45
44	491	((multidimension\$4 or multi-dimension\$4 or OLAP or dimensional) with (space or map)) and modeling adj technique	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/26 07:39
45	18	(((multidimension\$4 or multi-dimension\$4 or OLAP or dimensional) with (space or map)) and modeling adj technique) and (point with iterat\$6 with (algorithm or function))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/26 07:40
46	7	(((multidimension\$4 or multi-dimension\$4 or OLAP or dimensional) with (space or map)) and modeling adj technique) and (point with iterat\$6 with (algorithm or function))) and ((dataset or (data adj set)) or (DNA near3 sequence))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/26 07:37
47	0	(((multidimension\$4 or multi-dimension\$4 or OLAP or dimensional) with (space or map)) and modeling adj technique) and (point with iterat\$6 with (algorithm or function))) and ((dataset or (data adj set)) same (DNA near3 sequence))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/26 07:37
48	0	(((multidimension\$4 or multi-dimension\$4 or OLAP or dimensional) with (space or map)) and modeling adj technique) and ((dataset or (data adj set)) same (DNA near3 sequence))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/26 07:37
49	31	((multidimension\$4 or multi-dimension\$4 or OLAP or dimensional) with (space or map)) and ((dataset or (data adj set)) same (DNA near3 sequence))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/26 07:40
50	1236	((multidimension\$4 or multi-dimension\$4 or OLAP or dimensional) with (space or map)) and model\$3 near3 geomet\$6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/26 07:40
51	27	(((multidimension\$4 or multi-dimension\$4 or OLAP or dimensional) with (space or map)) and model\$3 near3 geomet\$6) and (point with iterat\$6 with (algorithm or function))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/26 07:40
52	0	(((multidimension\$4 or multi-dimension\$4 or OLAP or dimensional) with (space or map)) and model\$3 near3 geomet\$6) and (point with iterat\$6 with (algorithm or function))) and ((dataset or (data adj set)) same (DNA near3 sequence))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/26 07:40
53	0	(((multidimension\$4 or multi-dimension\$4 or OLAP or dimensional) with (space or map)) and model\$3 near3 geomet\$6) and (point with iterat\$6 with (algorithm or function))) and ((dataset or (data adj set)) and (DNA near3 sequence))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/26 07:40

54	0	(((multidimension\$4 or multi-dimension\$4 or OLAP or dimensional) with (space or map)) and model\$3 near3 geomet\$6) and (point with iterat\$6 with (algorithm or function))) and (DNA near3 sequence)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/26 07:41
55	22	(((multidimension\$4 or multi-dimension\$4 or OLAP or dimensional) with (space or map)) and model\$3 near3 geomet\$6) and (DNA near3 sequence)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/26 07:41
56	0	(((multidimension\$4 or multi-dimension\$4 or OLAP or dimensional) with (space or map)) and model\$3 near3 geomet\$6) and (DNA near3 sequence)) and (point with iterat\$6 with (algorithm or function))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/26 07:43
57	2	(((multidimension\$4 or multi-dimension\$4 or OLAP or dimensional) with (space or map)) and model\$3 near3 geomet\$6) and (DNA near3 sequence)) and point with iterat\$6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/26 07:44
58	22	(((multidimension\$4 or multi-dimension\$4 or OLAP or dimensional) with (space or map)) and model\$3 near3 geomet\$6) and (DNA near3 sequence)) and point	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/26 07:44
59	14	(((multidimension\$4 or multi-dimension\$4 or OLAP or dimensional) with (space or map)) and model\$3 near3 geomet\$6) and (DNA near3 sequence)) and point) and mathemat\$6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/26 07:44
60	0	(((multidimension\$4 or multi-dimension\$4 or OLAP or dimensional) with (space or map)) and model\$3 near3 geomet\$6) and (DNA near3 sequence)) and point) and mathemat\$6) and point same (cooriat\$6 or co-ordiat\$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/26 07:45
61	0	(((multidimension\$4 or multi-dimension\$4 or OLAP or dimensional) with (space or map)) and model\$3 near3 geomet\$6) and (DNA near3 sequence)) and point) and mathemat\$6) and point and (cooriat\$6 or co-ordiat\$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/26 07:45
62	9	(((multidimension\$4 or multi-dimension\$4 or OLAP or dimensional) with (space or map)) and model\$3 near3 geomet\$6) and (DNA near3 sequence)) and point) and mathemat\$6) and point same (coordinat\$6 or co-ordinat\$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/26 07:45